

PROTEZIONI

Specific solutions for the protection of areas at risk of impact, in environments with negative temperature. They are suitable to protect corners, entrances, gates, panels and cold rooms walls.

Soluzioni specifiche per la protezione di zone a rischio d'impatto in ambienti a temperatura negativa. Ideali per proteggere angoli sporgenti, accessi e portoni, pannelli e pareti di celle frigorifere.

Solutions spécifiques pour la protection des zones à risque de collision dans les environnements à température négative. Idéal pour protéger les angles, les entrées et les portes, les panneaux et les murs des chambres froides.

Soluciones específicas para proteger las zonas con riesgo de impacto en entornos de temperatura negativa. Son ideales para proteger esquinas, entradas y puertas, paneles y paredes de las cámaras frigoríficas.



ROD 70



Cold Line



M20

GALVANISED STEEL


Fixing accessory available also in stainless steel




ROD 70 266

Packing 1 pz / box
Colour M

Drill Ø 38
Equipped with accessories



ROD 120



Cold Line



M30

GALVANISED STEEL


Fixing accessory available also in stainless steel



ROD 120 433
560
800

Packing 1 pz / bag
Colour M

Drill Ø 56
Equipped with accessories




Cold Line ROD FLOOR 70



RF 70 500
1000
1500


Length 500 / 1000 / 1500 mm
Packing unpacked on pallet
Colour M



Equipped with [accessories](#)

RF 70 2000
3000

Length 2.000 / 3.000 mm
Packing unpacked on pallet
Colour M




Equipped with [accessories](#)

Cold Line ROD FLOOR 100



RF 100 500
1000
1500


Length 500 / 1000 / 1500 mm
Packing unpacked on pallet
Colour M



Equipped with [accessories](#)

RF 100 2000
3000

Length 2.000 / 3.000 mm
Packing unpacked on pallet
Colour M




Equipped with [accessories](#)

Cold Line ROD FLOOR 120



RF 120 500
1000
1100
1500


Length 500 / 1000 / 1100 / 1500 mm
Packing unpacked on pallet
Colour M



Equipped with [accessories](#)

RF 120 2000
2500
3000

Length 2.000 / 2.500 / 3.000 mm
Packing unpacked on pallet
Colour M




Equipped with [accessories](#)

Cold Line

ROD FLOOR 120 DOUBLE RACK END



SF20 x 450
STAINLESS STEEL




NO SHARP EDGES



RF 120 DOUBLE RACK END 1100

Length 1100 mm
Packing unpacked on pallet
Colour **M**


Equipped with [accessories](#)



RF 120 DOUBLE RACK END 2500

Length 2.500 mm
Packing unpacked on pallet
Colour **M**

Equipped with [accessories](#)




Cold Line

ROD FLOOR 120 DOUBLE RACK END





SF20 x 450
STAINLESS STEEL



RF 120 DOUBLE 500 1000 1500

Length 500 / 1000 / 1500 mm
Packing unpacked on pallet
Colour **M**

Equipped with [accessories](#)



RF 120 DOUBLE 2000 3000

Length 2.000 / 3.000 mm
Packing unpacked on pallet
Colour **M**

Equipped with [accessories](#)

